



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Preparation of safety data sheets for hazardous chemicals Code of Practice June 2023

Issuing Date 15-Apr-2021

Revision date 03-Feb-2026

Revision Number 2

## Section 1: Identification

### Product identifier

Product Name FILTER OIL; 6.5 OZ AEROSOL SPRAY

Product Code(s) 99-0504

### Other means of identification

Proper shipping name Aerosols

Pure substance/mixture Mixture

### Recommended use of the chemical and restrictions on use

Recommended use Air filter moisturization

Uses advised against No information available

### Details of manufacturer or importer

#### Supplier

K&N Engineering, Inc.  
14 Longitude Way  
Corona, CA 92881  
+1 951-826-4000 / 800-858-3333

For further information, please contact

### Emergency telephone number

Emergency telephone number CHEMTREC (Australia): +61-290372994

## Section 2: Hazard(s) identification

### Classification of the substance or mixture

Aerosols	Category 1
Gases under pressure	Liquefied Gas
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

### Label elements

Gas cylinder  
Flame  
Exclamation mark



**Signal word**  
DANGER

**Hazard statements**

Extremely flammable aerosol  
Pressurised container: May burst if heated  
Contains gas under pressure; may explode if heated  
Causes skin irritation  
Causes serious eye irritation

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Do not pierce or burn, even after use  
Do not spray on an open flame or other ignition source  
Wear protective gloves, protective clothing, eye protection and face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN: Wash with plenty of water and soap  
If skin irritation occurs: Get medical advice/attention  
Take off contaminated clothing and wash it before reuse

**Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place  
Do not expose to temperatures exceeding 50 °C/122 °F

**Other hazards which do not result in classification**

May be harmful if swallowed. Harmful to aquatic life with long lasting effects.

### Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	74.41
Sodium metasilicate	6834-92-0	1.25
Non-hazardous ingredients	Proprietary	Balance

### Section 4: First aid measures

**Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Emergency telephone number</b>	Poisons Information Centre, Australia: 13 11 26
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

<b>Skin contact</b>	In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

#### **Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation.
<b>Effects of Exposure</b>	None known.

#### **Indication of any immediate medical attention and special treatment needed**

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

### **Section 5: Firefighting measures**

#### **Suitable Extinguishing Media**

<b>Suitable extinguishing equipment</b>	Dry chemical. Carbon dioxide (CO2). Water spray.
<b>Unsuitable extinguishing media</b>	DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

#### **Specific hazards arising from the chemical**

<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket. Thermal decomposition can lead to release of irritating gases and vapours.
<b>Hazardous combustion products</b>	Oxides of sulphur, Aldehydes, Ketones and their derivatives, Carbon monoxide, Organic compounds.

#### **Special protective actions for firefighters**

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.
---	--

### **Section 6: Accidental release measures**

#### **Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Extremely slippery when spilled.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

#### **Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

#### **Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dam far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerisation and scrape off floor.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

#### **Precautions to prevent secondary hazards**

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### **Section 7: Handling and storage**

#### **Precautions for safe handling**

**Advice on safe handling** Use personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. Avoid breathing vapours or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before re-use.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

#### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e. pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

**Incompatible materials** Strong oxidising agents.

### **Section 8: Exposure controls and personal protection**

#### **Control Parameters**

**Exposure Limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Appropriate engineering controls**

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Antistatic boots. Chemical resistant apron. Wear fire/flame resistant/retardant clothing.

**Hand protection** Wear suitable gloves. Wear cold insulating gloves.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** Prevent further leakage or spillage if safe to do so.

**Thermal hazards** No information available.

**Section 9: Physical and chemical properties**

**Information on basic physical and chemical properties**

**Appearance** Oily liquid  
**Physical state** Aerosol  
**Colour** Red  
**Odour** Odourless  
**Odour threshold** No information available

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
<b>Melting point / freezing point</b>		No data available
<b>Initial boiling point and boiling range</b>	> 260 °C	
<b>Flammability</b>		Extremely flammable aerosol
<b>Flammability Limit in Air</b>		
<b>Upper flammability or explosive limits</b>		No data available
<b>Lower flammability or explosive limits</b>		No data available
<b>Flash point</b>	> -94 °C	
<b>Auto-ignition temperature</b>		No data available
<b>Decomposition temperature</b>		No data available
<b>SADT (°C)</b>		No data available
<b>pH</b>		No data available
<b>pH (as aqueous solution)</b>		No data available
<b>Kinematic viscosity</b>	7.5 mm <sup>2</sup> /s	
<b>Dynamic viscosity</b>		No data available
<b>Water solubility</b>		No data available
<b>Solubility(ies)</b>		No data available
<b>Partition coefficient</b>		No data available
<b>Vapour pressure</b>		No data available
<b>Relative density</b>	0.864	
<b>Bulk density</b>		No data available
<b>Liquid Density</b>		No data available
<b>Relative vapour density</b>		No data available
<b>Particle characteristics</b>		

**Particle Size**  
**Particle Size Distribution**

No data available  
No data available

**Other information**

**Molecular weight** No information available  
**VOC content** No information available  
**Softening point** No information available

**Information with regard to physical hazard classes**

**Explosives**

Explosive properties No information available

**Oxidising properties** No information available

**Other safety characteristics**

**Sensitivity to mechanical impact** Yes

**Section 10: Stability and reactivity**

**Reactivity**

**Reactivity** None under normal use conditions.

**Chemical stability**

**Stability** Stable under normal conditions.

**Explosion data**

**Sensitivity to mechanical impact** Yes.

**Sensitivity to static discharge** Yes.

**Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**Conditions to avoid**

**Conditions to avoid** Heat, flames and sparks. Extremes of temperature and direct sunlight. Incompatible materials.

**Incompatible materials**

**Incompatible materials** Strong oxidising agents.

**Hazardous decomposition products**

**Hazardous decomposition products** None known based on information supplied.

**Section 11: Toxicological information**

**Information on likely routes of exposure**

**Product Information**

**Inhalation** Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation.

#### **Acute toxicity**

#### **Numerical measures of toxicity**

The following ATE values have been calculated for the mixture:

ATEmix (oral)	> 2,000 mg/kg
ATEmix (dermal)	> 5,000 mg/kg

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, hydrotreated spent	> 2000 mg/kg ( Rat )	> 4480 mg/kg ( Rabbit )	-
Sodium metasilicate	= 1153 mg/kg ( Rat )	-	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitisation</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met. The classification listed below for the lubricating oils in this product pertains to those that contain more than 3% DMSO extract as measured by IP 346. The lubricating oils in this product do not meet that criteria to be classified as carcinogens.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Lubricating oils, petroleum, hydrotreated spent - 64742-58-1	Carc. 1B	-	-

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## **Section 12: Ecological information**

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

#### **Aquatic ecotoxicity**

**Component Information**

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Sodium metasilicate	LC50: =210mg/L (96h, Brachydanio rerio)	-	-	-

**Terrestrial ecotoxicity** No information available.

**Persistence and degradability** No information available.

**Bioaccumulative potential** No information available.

**Mobility in soil** No information available.

**Other adverse effects** No information available.

## Section 13: Disposal considerations

**Disposal methods**

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

*See section 8 for more information*

## Section 14: Transport information

**ADG**

UN number or ID number UN1950  
 UN proper shipping name Aerosols  
 Transport hazard class(es) 2.1  
 Environmental hazard No  
 Special Provisions 63, 190, 277, 327, 344, 381  
 Description UN1950, Aerosols, 2.1  
 Limited quantity (LQ) See SP 277

**IATA**

UN number or ID number UN1950  
 UN proper shipping name Aerosols, flammable  
 Transport hazard class(es) 2.1  
 Environmental hazards No  
 ERG Code 10L  
 Special Provisions A145, A167, A802  
 Description UN1950, Aerosols, flammable, 2.1

**IMDG**

UN number or ID number UN1950  
 UN proper shipping name Aerosols  
 Transport hazard class(es) 2.1  
 Marine pollutant indicator NP



**Special Provisions** 63,190, 277, 327, 344, 381, 959  
**EmS-No.** F-D S-U  
**Description** UN1950, Aerosols, 2.1  
**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**  
 No information available

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

See section 8 for national exposure control parameters

#### **Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)**

No poisons schedule number allocated

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Lubricating oils, petroleum, hydrotreated spent - 64742-58-1	Present	-
Sodium metasilicate - 6834-92-0	Present	-

#### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **Major hazard (accident/incident planning) regulation**

Verify that license requirements are met

##### Hazardous chemical

Liquids with flash points <61°C kept above their boiling points at ambient conditions

Threshold quantity (T)  
200

#### **International Inventories**

Contact supplier for inventory compliance status

#### **International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

## Section 16: Other information

**Issuing Date** 15-Apr-2021

Revision date 03-Feb-2026

Revision Note Updated format. SDS sections updated: 2, 3, 4, 6, 7, 8, 9, 10, 12, 14, 15, 16.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

*List may include phrases which are not applicable to this product*

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MARPOL	International Convention for the Prevention of Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organisation for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit

STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitiser
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitiser
RS	Respiratory Sensitiser
S	Sensitiser
poS	Sensitiser - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

#### Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 U.S. Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 Australian Industrial Chemicals Introduction Scheme (AICIS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
 United Nations World Health Organization (WHO)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet